



Government of India

**PRASAR BHARATI  
(INDIA'S PUBLIC SERVICE BROADCASTER)  
DOORDARSHAN KENDRA, GUWAHATI  
RGB ROAD, GUWAHATI 781024**



No. DDK/GHY/ES/MW/2019-20 /

Dated: 26.09.2019

TO,

To up load web site

Sub: Enquiry for providing bed for installing of 62.5 KVA DG set at PPC Complex DDK Guwahati.

- **Quotations Should reach on or before 07.10.2019 up to 1300 Hrs.**
- **Quotations will be opened in the office of undersigned at 1530 Hrs. on 07.10.2019.**

Sir,

Quotations are hereby invited from the reputed contractors / Agencies for providing concrete base for placing 62.5 KVA Diesel Generator at PPC complex, Doordarshan Kendra Guwahati.

The quotations should be sent in sealed envelopes addressed to the undersigned by name so as to reach on or before **07.10.2019** up to **1300 Hrs.** The envelope should be super-scribed with the following details:

- i) Works for which quotations are enclosed
- ii) Reference number of enquiry letter
- iii) Due Date of Opening quotation.

**Scope of work**

- 1) Making of 10" wide brick wall for a size of 10'6" (L) X5'6" (B) in rectangle with 1'6" depth below ground level and 1'6" above ground level by putting 1" high river sand in the pit. The brick wall shall have cement mixture of 1:6 proportion.
- 2) Fill up of foundation with Quarry Dust / stone dust up to 10" above ground level within the structure.
- 3) Filling with 1:3:3 mortar (1part cement, 3 part sand, 3 part ¾ blue metal) up to remaining portion. And completing the work with plastering wall all sides with the mortar of 1:6 (1 part cement and 6 part sand)

**NOTE**

- Good quality cement, blue metal and river sand should be used
- All cement mixture for brick wall / concrete Bed / Plastering shall have correct mixture of Anti termite Compound.

### Bill of materials

Sl. No.	Description of work	Item/ work	Amount
1	Providing concrete base for installing 62.5 KVA Diesel Generator at PPC complex, Doordarshan Kendra Guwahati. AS PER THE SCOPE OF WORK	lumsun	
2	GST @		
3	Total Amount		

Note: 1) **All bidders are requested to visit this office from 1100hrs to 1600hrs on all working days to ascertain the actual requirement and measurement of the work before quoting. After awarding of the work, this office will not provide any item which is required for completing the work. Hence all are requested to visit the site and quote accordingly.**

## **TERMS AND CONDITION**


1. The quotations will be opened in the office of the undersigned at **1530 Hrs.** on **07.10.2019.** in the presence of such tenderers or their agents as may choose to attend.
- 2) **Supply of Material and completion of work:** The delivery of the entire stores and the work at site shall be completed within 15 Days from the date of placement of order, Delivery period may also be intimated in quotation.
- 3) All the items to be supplied must confirm to the specifications mentioned in scope of work.
- 4) The quotations submitted shall remain open for acceptance for a period of 90 days from the date of opening them.
- 5) **Risk Insurance guarantee:** The contractor also has to ensure all precautionary safety measures to all the labourers engaged and also make available valid workmen compensation Risk Insurance. (Accident benefit insurance scheme) In case of any accident to any of the labourers, no compensation/responsibility in any manner will be claimed from Doordarshan/Prasar Bharati. The contractor/firm shall assume whole responsibility for any mishap, accident/death etc.,
- 6) **The prices:** The prices quoted should be firm and for free delivery/work at the sites mentioned and including transit insurance. In case of items on dispatch basis, the purchaser will not pay separately for transit insurance and the supplier will be responsible until the stores arrive in good condition at the destination. Tenders/ quotations in which transit insurance has been specified as an additional item of expenditure are liable to be ignored.
- 7) Your GSTIN, PAN, TIN-Tax Identification number and bank account number should be clearly indicated in your quotation.
- 8) **Right of Acceptance:** The undersigned reserves the right to reject the lowest tender or all the tenders without assigning any reason whatsoever. Further the undersigned reserves him-self the right to increase or decrease up to 50% of the quantity of goods and services specified in the schedule of the requirement without any change in the unit price of the order quantities or other term conditions at the time of award of contract. All quotations/Tenderers in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected. The competent authority on behalf of President of India reserves himself the right of accepting the whole or any part of the tender shall be bound to perform the same at the rate quoted.
- 9) **General:** All the pages of the tender documents should be duly signed, stamped and serially numbered on submission, failing which the tender may not be considered as qualified tender
- 10) **Language/Units:** All Information supplied by the tender & all markings, notes, designation on the drawings and associated write-ups shall be in "English Language" only All dimensions, units on drawings, all reference to weights, measures & quantities shall be in MKS.
11. **BILLS:** All the supplies shall be in conformity with the order and the bill shall be prepared in triplicate in the same format as that of the order and submitted to the consignee for necessary certificate and onward transmission to the paying authority.

Yours faithfully,

Santosh Kumar Srivastava  
Assistant Engineer  
For Dy. Director General (E)

### ABOVE THE GROUND LEVEL

- Construction of 18" Brick wall above the ground level size of 126" (L)x 66"(B) in rectangle .
- Fill up with stone dust up to 10".(A)
- Fill up with 1:3:3 concrete mixer for 8".(B)



### BELOW THE GROUND LEVEL (IN PITS)

- Excavate Ground for making 10" brick wall
- Fill up with River Sand up to 1" (C)
- Construction of 10" Brick wall below the ground level size of 126"x 66" for 18" depth (D).

